



# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 16/06/2020 Revision date: 24/04/2025 Supersedes version of: 23/01/2023 Version: 9.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : ELECTRA CLEAN Spray  
UFI : QRQ2-E0X9-900T-9A4V  
Product code : 34066  
Vaporizer : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Industrial use, Professional use  
Industrial/Professional use spec : For professional use only  
Industrial  
Use of the substance/mixture : Cleaning/washing agents and additives

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

ROCOL a division of ITW Ltd  
Rocol House  
Wakefield Rd, Swillington  
LS26 8BS Leeds, West Yorkshire  
United Kingdom  
T +44 (0)113 232 2600  
[customer.service@rocol.com](mailto:customer.service@rocol.com), [www.rocol.com](http://www.rocol.com)

#### 1.4. Emergency telephone number

Emergency number : +44 (0)113 232 2600

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229  
Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Specific target organ toxicity – Single exposure, Category 3, H336  
Narcosis  
Hazardous to the aquatic environment – Chronic Hazard, H411  
Category 2  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger  
Contains : HEPTANE & ISOMERS

# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |   |
|---|---|
| Hazard statements (CLP)   | : H222 - Extremely flammable aerosol.<br>H229 - Pressurised container: May burst if heated.<br>H315 - Causes skin irritation.<br>H319 - Causes serious eye irritation.<br>H336 - May cause drowsiness or dizziness.<br>H411 - Toxic to aquatic life with long lasting effects.  |
| Precautionary statements (CLP)  | : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P211 - Do not spray on an open flame or other ignition source.<br>P251 - Do not pierce or burn, even after use.<br>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.<br>P391 - Collect spillage.<br>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. |
| Derogation from labelling requirements according to CLP Article 23(c); Annex I Part 1 Section 1.3.3 |   |

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Name   | Product identifier  | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP]                         |
|--|---|-----------|---|
| HEPTANE & ISOMERS  | CAS-No.: 64742-49-0<br>EC-No.: 927-510-4<br>REACH-no: 01-2119475515-33                            | $\geq 70$ | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Aquatic Chronic 2, H411 |
| PROPAN-2-OL  | CAS-No.: 67-63-0<br>EC-No.: 200-661-7<br>EC Index-No.: 603-117-00-0<br>REACH-no: 01-2119457558-25 | 15 – 30   | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                             |
| CARBON DIOXIDE AEROSOL PROPELLANT<br>substance with a Community workplace exposure limit | CAS-No.: 124-38-9<br>EC-No.: 204-696-9<br>REACH-no: Exempt  | 2.4 – 5   | Press. Gas (Comp.), H280  |

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Call a poison center or a doctor if you feel unwell.   |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.   |

# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects                    | : May cause drowsiness or dizziness.                                |
| Symptoms/effects after skin contact | : Irritation. Repeated exposure may cause skin dryness or cracking. |
| Symptoms/effects after eye contact  | : Eye irritation.   |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

### 5.2. Special hazards arising from the substance or mixture

|  |   |
|--|---|
| Fire hazard                                      | : Extremely flammable aerosol.                |
| Explosion hazard                                 | : Pressurised container: May burst if heated. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released.                |

### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

|                      |   |
|----------------------|---|
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. |
|----------------------|---|

#### For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Collect spillage.   |
| Methods for cleaning up | : Mechanically recover the product.                             |
| Other information       | : Dispose of materials or solid residues at an authorized site. |

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. |
| Hygiene measures              | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.  |

# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

| CARBON DIOXIDE AEROSOL PROPELLANT (124-38-9)       |                                 |
|--|---------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) |                                 |
| Local name   | Carbon dioxide                  |
| IOEL TWA   | 9000 mg/m <sup>3</sup>          |
| Regulatory reference                               | COMMISSION DIRECTIVE 2006/15/EC |

### 8.2. Exposure controls

#### Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

#### Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves. Nitrile rubber gloves

#### Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140 with Type A filter or better

| Respiratory protection |  |                   |          |
|------------------------|--|-------------------|----------|
| Device                 | Filter type                                      | Condition         | Standard |
| Reusable half mask     | Type AX - Low-boiling (<65 °C) organic compounds | Vapour protection | EN 140   |

#### Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Physical state                                  | : Liquid                                      |
| Colour  | : Colourless.                                 |
| Odour   | : Characteristic odour.                       |
| Odour threshold                                 | : Not available                               |
| Melting point                                   | : Not available                               |
| Freezing point                                  | : Not available                               |
| Boiling point                                   | : > 35 °C                                     |
| Flammability                                    | : Extremely flammable aerosol.                |
| Explosive properties                            | : Pressurised container: May burst if heated. |
| Lower explosion limit                           | : Not available                               |
| Upper explosion limit                           | : Not available                               |
| Flash point                                     | : -5 °C                                       |
| Auto-ignition temperature                       | : > 200                                       |
| Decomposition temperature                       | : Not available                               |
| pH  | : No data available.                          |
| Viscosity, kinematic                            | : Not available                               |
| Solubility                                      | : Miscible with water.                        |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                               |
| Vapour pressure                                 | : Not available                               |
| Vapour pressure at 50°C                         | : Not available                               |
| Density   | : Not available                               |
| Relative density                                | : ≈ 0.74                                      |
| Relative vapour density at 20°C                 | : Not available                               |
| Particle characteristics                        | : Not applicable                              |

#### 9.2. Other information

##### Information with regard to physical hazard classes

% of flammable ingredients : 95.91 %

##### Other safety characteristics

VOC content : 703 g/l

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

| PROPAN-2-OL (67-63-0) |  |
|-----------------------|--|
| LD50 oral rat         | 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 oral             | 3600 mg/kg   |

| HEPTANE & ISOMERS (64742-49-0) |  |
|--------------------------------|--|
| LD50 oral rat                  | 5840 mg/kg   |
| LD50 dermal rat                | 2800 – 3100 mg/kg bodyweight Animal: rat   |
| LC50 Inhalation - Rat          | > 23.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |

Skin corrosion/irritation : Causes skin irritation.  
pH: No data available.  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: No data available.  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

| PROPAN-2-OL (67-63-0) |                      |
|-----------------------|----------------------|
| IARC group            | 3 - Not classifiable |

Reproductive toxicity : Not classified  
STOT-single exposure : May cause drowsiness or dizziness.

| PROPAN-2-OL (67-63-0) |                                    |
|-----------------------|------------------------------------|
| STOT-single exposure  | May cause drowsiness or dizziness. |

| HEPTANE & ISOMERS (64742-49-0) |                                    |
|--------------------------------|------------------------------------|
| STOT-single exposure           | May cause drowsiness or dizziness. |

STOT-repeated exposure : Not classified

| HEPTANE & ISOMERS (64742-49-0)           |   |
|--|---|
| LOAEC (inhalation, rat, vapour, 90 days) | 16.6 mg/l air Animal: rat, Animal sex: male |
| NOAEC (inhalation, rat, vapour, 90 days) | 3.3 mg/l air Animal: rat, Animal sex: male  |

Aspiration hazard : Not classified

| ELECTRA CLEAN Spray     |         |
|-------------------------|---------|
| Vaporizer               | Aerosol |
| Not able to form a pool | Yes     |

| HEPTANE & ISOMERS (64742-49-0) |           |
|--------------------------------|-----------|
| Viscosity, kinematic           | 0.5 mm²/s |
| Hydrocarbon                    | Yes       |

#### 11.2. Information on other hazards

No additional information available

# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

#### PROPAN-2-OL (67-63-0)

|                 |  |
|-----------------|--|
| LC50 - Fish [1] | 10000 mg/l Test organisms (species): Pimephales promelas |
| LC50 - Fish [2] | 9640 mg/l Test organisms (species): Pimephales promelas  |

#### HEPTANE & ISOMERS (64742-49-0)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | > 13.4 mg/l  |
| EC50 - Crustacea [1] | 3 mg/l   |
| LOEC (chronic)       | 0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic)       | 0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

#### 12.2. Persistence and degradability

##### ELECTRA CLEAN Spray

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

##### CARBON DIOXIDE AEROSOL PROPELLANT (124-38-9)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

##### PROPAN-2-OL (67-63-0)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

##### HEPTANE & ISOMERS (64742-49-0)

|                               |                              |
|-------------------------------|------------------------------|
| Persistence and degradability | 98 % biodegradation 28 days. |
|-------------------------------|------------------------------|

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR   | IMDG  | IATA  | ADN  | RID  |
|---|---|---|--|--|
| <b>14.1. UN number or ID number</b>                   |   |   |  |  |
| UN 1950   | UN 1950   | UN 1950   | UN 1950  | UN 1950  |
| <b>14.2. UN proper shipping name</b>                  |   |   |  |  |
| AEROSOLS  | AEROSOLS  | Aerosols, flammable   | AEROSOLS   | AEROSOLS   |
| <b>Transport document description</b>                 |   |   |  |  |
| UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS | UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS   | UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS | UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS | UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS |
| <b>14.3. Transport hazard class(es)</b>               |   |   |  |  |
| 2.1   | 2.1   | 2.1   | 2.1  | 2.1  |
|   |   |   |  |  |
| <b>14.4. Packing group</b>                            |   |   |  |  |
| Not applicable  | Not applicable  | Not applicable  | Not applicable                                   | Not applicable                                   |
| <b>14.5. Environmental hazards</b>                    |   |   |  |  |
| Dangerous for the environment: Yes                    | Dangerous for the environment: Yes<br>Marine pollutant: Yes<br>EmS-No. (Fire): F-D<br>EmS-No. (Spillage): S-U | Dangerous for the environment: Yes                          | Dangerous for the environment: Yes               | Dangerous for the environment: Yes               |
| No supplementary information available                |   |   |  |  |

### 14.6. Special precautions for user

#### Overland transport

|   |                      |
|---|----------------------|
| Classification code (ADR)   | : 5F                 |
| Special provisions (ADR)  | : 190, 327, 344, 625 |
| Limited quantities (ADR)  | : 1I                 |
| Excepted quantities (ADR)   | : E0                 |
| Packing instructions (ADR)  | : P207, LP200        |
| Special packing provisions (ADR)  | : PP87, RR6, L2      |
| Mixed packing provisions (ADR)  | : MP9                |
| Transport category (ADR)  | : 2                  |
| Special provisions for carriage - Packages (ADR)                        | : V14                |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV12          |
| Special provisions for carriage - Operation (ADR)                       | : S2                 |
| Tunnel restriction code (ADR)   | : D                  |

#### Transport by sea

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Special provisions (IMDG)         | : 63, 190, 277, 327, 344, 381, 959 |
| Packing instructions (IMDG)       | : P207, LP200                      |
| Special packing provisions (IMDG) | : PP87, L2                         |
| Stowage category (IMDG)           | : None                             |
| Stowage and handling (IMDG)       | : SW1, SW22                        |
| Segregation (IMDG)                | : SG69                             |



# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Air transport

|  |                    |
|--|--------------------|
| PCA Excepted quantities (IATA)               | : E0               |
| PCA Limited quantities (IATA)                | : Y203             |
| PCA limited quantity max net quantity (IATA) | : 30kgG            |
| PCA packing instructions (IATA)              | : 203              |
| PCA max net quantity (IATA)                  | : 75kg             |
| CAO packing instructions (IATA)              | : 203              |
| CAO max net quantity (IATA)                  | : 150kg            |
| Special provisions (IATA)                    | : A145, A167, A802 |
| ERG code (IATA)                              | : 10L              |

### Inland waterway transport

|                                   |                      |
|-----------------------------------|----------------------|
| Classification code (ADN)         | : 5F                 |
| Special provisions (ADN)          | : 190, 327, 344, 625 |
| Limited quantities (ADN)          | : 1 L                |
| Excepted quantities (ADN)         | : E0                 |
| Equipment required (ADN)          | : PP, EX, A          |
| Ventilation (ADN)                 | : VE01, VE04         |
| Number of blue cones/lights (ADN) | : 1                  |

### Rail transport

|   |                      |
|---|----------------------|
| Classification code (RID)   | : 5F                 |
| Special provisions (RID)  | : 190, 327, 344, 625 |
| Limited quantities (RID)  | : 1L                 |
| Excepted quantities (RID)   | : E0                 |
| Packing instructions (RID)  | : P207, LP200        |
| Special packing provisions (RID)  | : PP87, RR6, L2      |
| Mixed packing provisions (RID)  | : MP9                |
| Transport category (RID)  | : 2                  |
| Special provisions for carriage – Packages (RID)                        | : W14                |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW9, CW12          |
| Colis express (express parcels) (RID)                                   | : CE2                |
| Hazard identification number (RID)                                      | : 23                 |

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

# ELECTRA CLEAN Spray

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### VOC Directive (2004/42)

VOC content : 703 g/l

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Full text of H- and EUH-statements:

|                    |  |
|--------------------|--|
| Aquatic Chronic 2  | Hazardous to the aquatic environment – Chronic Hazard, Category 2      |
| Eye Irrit. 2       | Serious eye damage/eye irritation, Category 2                          |
| Flam. Liq. 2       | Flammable liquids, Category 2  |
| Press. Gas (Comp.) | Gases under pressure : Compressed gas                                  |
| Skin Irrit. 2      | Skin corrosion/irritation, Category 2                                  |
| STOT SE 3          | Specific target organ toxicity – Single exposure, Category 3, Narcosis |
| H222               | Extremely flammable aerosol.   |
| H225               | Highly flammable liquid and vapour.                                    |
| H229               | Pressurised container: May burst if heated.                            |
| H280               | Contains gas under pressure; may explode if heated.                    |
| H315               | Causes skin irritation.  |
| H319               | Causes serious eye irritation.   |
| H336               | May cause drowsiness or dizziness.                                     |
| H411               | Toxic to aquatic life with long lasting effects.                       |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge using information from our raw material suppliers and describes the product for health, safety and environmental purposes only. It should therefore not be interpreted as guaranteeing any specific property of the product. This information does not exempt the user from checking the product and in no way engages our responsibility as to the use for which it is intended.